

**Illumination Accessories**

# Sapphire Wide Angle Illuminator








- Designed to significantly reduce glare
- Engineered for increased wide angle illumination and peripheral visualization
- Ergonomic, soft grip handle



**RFID\***  
**ILLUMINATION PROBES**

**Straight Endoilluminator**





- Offers outstanding illumination
- Precision polished fiber eliminates shadows, rings and pattern anomalies
- Smooth rounded distal tip for easier insertion
- Sterile, single-use


8065750971 | 20 Gauge | 12/box      
 8065750972 | 23 Gauge | 12/box   
 8065750976 | 25 Gauge | 12/box   
 8065751441 | 25+™ Gauge | 12/box 



**Illuminated Membrane Pik**








- Provides illumination for vitreoretinal surgery for 23 and 25 gauge cases
- Allows manipulation of vitreous tissue or membranes during vitreoretinal surgery on 23 and 25 gauge cases


8065751576 | 23 Gauge | 12/box    
 8065751572 | 25 Gauge | 12/box  



**Sapphire Wide Angle Illuminator**



- Designed to significantly reduce glare
- Engineered for increased wide-angle illumination and peripheral visualization
- Sterile, single-use


8065750975 | 20 Gauge | 12/box      
 8065751184 | 23 Gauge | 12/box   
 8065751185 | 25 Gauge | 12/box   
 8065751486 | 25+™ Gauge | 12/box 



**Chandelier Lighting System**


- Includes 25G EDGEPLUS® trocar/cannula for insertion
- Able to engage in either the 23 gauge or 25 gauge cannula hubs
- Wider coverage area than standard or wide angle
- Illumination angle is 106°


8065751577 | 25 Gauge | 12/box  



**The BULLET™ Shielded Wide Angle Fiber Optic Illuminator**


- Provides wide-angle illumination without glare
- Enhances visualization of the vitreous
- Smooth tip design for easier insertion
- Hand-polished fiber ensures uniform illumination
- Sterile, single-use


8065750973 | 20 Gauge | 12/box 



**Shielded BULLET™ RFID**

- Provides a greater field of intraocular illumination compared with standard probes
- Tip design allows for effortless insertion into the sclerotomy
- Hand-polished fiber ensures uniform illumination
- Sterile, single-use


8065750974 | 20 Gauge | 12/box 



**Illumination Accessories**



**Provide accessory identification and predetermined settings for illumination.**

ILLUMINATION CONNECTORS	RFID	PREFERRED USE WITH	GAUGE
 ALCON® NON-RFID	 with RFID	 CONSTELLATION® Vision System	
 CONSTELLATION® RFID	 without RFID	 PUREPOINT® Laser	
 INFINITECH®		 ACCURUS® Surgical System	
 GRIESHABER®			

In the U.S. to order call 1-800-862-5266 or fax 1-800-241-0677. Outside the U.S. contact your local Alcon representative.


TM\* The BULLET™ Reg. U.S. Pat. & T.M. office  
 \*RFID-Radio Frequency Identification Device





**RFID  
ILLUMINATION PIKS**

**BULLET™ RFID**

- Provides wide-angle illumination without glare
- Ideal for bimanual tissue manipulation
- Pick may be bent to desired angle/configuration
- Enhances visualization of the vitreous
- Smooth tip design for easier insertion
- Hand-polished fiber ensures uniform illumination
- Sterile, single-use




20



8065751003 | 20 Gauge | 12/box  

**Ryan Illuminated  
Membrane Pik**

- 90° angled tip, offset from the light pipe shaft
- Minimizes shadows
- Sterile, single-use




20



8065751000 | 20 Gauge | 12/box  

**Illuminated Membrane Pik**

- Malleable pick may be bent to desired angle/configuration
- Designed for bimanual tissue manipulation
- 4mm length with low glare bottom surface
- Sterile, single-use




20

8065751002 | 20 Gauge | 12/box  



**RFID  
IRRIGATING FIBER OPTIC**

**End Irrigating Fiber Optic**

- Exceptional illumination with improved infusion capabilities
- Helps to maintain integrity of the globe during two port vitrectomy
- Perfect for the treatment of endophthalmitis pediatric patients
- Sterile, single-use



20

8065751001 | 20 Gauge | 12/box  















**Illumination Accessories**



**Provide accessory identification  
and predetermined settings for  
illumination.**

CONSTELLATION® RFID ILLUMINATION ACCESSORIES

*In the U.S. to order call 1-800-862-5266 or fax 1-800-241-0677.  
Outside the U.S. contact your local Alcon representative.*










ILLUMINATION CONNECTORS	RFID	PREFERRED USE WITH	GAUGE
 ALCON® NON-RFID		 CONSTELLATION® Vision System	
 CONSTELLATION® RFID		 PUREPOINT® Laser	
 INFINITECH®		 ACCURUS® Surgical System	
 GRIESHABER®			



**NON-RFID  
ILLUMINATION PROBES**

**Straight Endoilluminator**





- Stiffened shaft designed for improved globe manipulation
- Precision match for the ALCON® 23 gauge and 25 gauge cannula systems
- Sterile, single-use

8065750802 | 23 Gauge | 12/box       
 8065750426 | 25 Gauge | 12/box    
 8065751165 | 25+™ Gauge | 12/box  

**NON-RFID  
ILLUMINATION PROBES**













**Chandelier Lighting System**

- Includes 25G EDGEPLUS® trocar/cannula for insertion
- Able to engage in either the 23 gauge or 25 gauge cannula hubs
- Wider coverage area than standard or wide angle
- Illumination angle is 106°

8065751574 | 25 Gauge | 12/box    






**Sapphire Wide Angle Illuminator**

- Designed to significantly reduce glare
- Engineered for increased wide-angle illumination and peripheral visualization
- Sterile, single-use

8065750425 | 20 Gauge | 10/box        
 8065751183 | 23 Gauge | 12/box    
 8065751186 | 25 Gauge | 12/box    
 8065751485 | 25+™ Gauge | 12/box  






**Standard Fiber Optic Illuminator**

- Precise, polished fiber eliminates shadows, rings and pattern abnormalities
- Smooth, rounded distal end for easier insertion
- Sterile, single-use

8065812001 | 20 Gauge | 12/box     
 8065011020 | 20 Gauge | 10/box  

**The BULLET™ Shielded Wide Angle Fiber Optic Illuminator**

- Provides wide-angle illumination without glare
- Enhances visualization of the vitreous
- Smooth tip design for easier insertion
- Hand-polished fiber ensures uniform illumination
- Sterile, single-use

8065109203 | 20 Gauge | 10/box     
 8065109202 | 20 Gauge | 10/box  






**GRIESHABER® Wide Angle Diffusion Fiber Optic Illuminator**

- Provides wider field of view without associated glare of bullet probes
- Light is refracted through the use of a special lens placed at the tip of the pipe for maximum illumination to the periphery at all angles.
- Sterile, single-use

630.45 | 20 Gauge | 6/box    

**The BULLET™ Wide Angle Fiber Optic Illuminator**

- Provides a greater field of intraocular illumination compared with standard probes
- Tip design allows for effortless insertion into the sclerotomy
- Hand-polished fiber ensures uniform illumination
- Sterile, single-use

8065740264 | 20 Gauge | 10/box     
 8065010920 | 20 Gauge | 10/box  





™ The BULLET™ Reg. U.S. Pat. & T.M. office  
 \*\*\* Trademark of Insight Instruments, Inc.



**NON-RFID  
ILLUMINATION PIKS**



**Illuminated Membrane Pik**

- Provides illumination for vitreoretinal surgery for 23 and 25 gauge cases
- Allows manipulation of vitreous tissue or membranes during vitreoretinal surgery on 23 and 25 gauge cases

8065751578 | 23 Gauge | 12/box   **23** **25**  
 8065751575 | 25 Gauge | 12/box  



**The BULLET™ Shielded Wide Angle  
Fiber Optic Illuminator with Pik**

- Provides wide-angle illumination without glare
- Ideal for bimanual tissue manipulation
- Pick may be bent to desired angle/configuration
- Enhances visualization of the vitreous
- Smooth tip design for easier insertion
- Hand-polished fiber ensures uniform illumination
- Sterile, single-use

8065109219 | 20 Gauge | 10/box   **20**



**Capone Illuminated Infusion  
Pediatric Pik**

- Superb illumination and infusion capabilities
- Idea for bimanual tissue manipulation
- 2.4mm pick may be bent to desired angle/configuration
- Sterile, single-use

8065012200 | 20 Gauge | 10/box   **20**



**Ryan Illuminated  
Membrane Pik**

- 90° angled tip, offset from the light pipe shaft
- Minimizes shadows
- Sterile, single-use

8065740258 | 20 Gauge | 10/box   **20**

**Illuminated Membrane Pik**



- Malleable pick may be bent to desired angle/configuration
- Designed for bimanual tissue manipulation
- 4mm length with low glare bottom surface
- Sterile, single-use

8065740260 | 20 Gauge | 10/box   **20**

**NON-RFID  
IRRIGATING FIBER OPTICS**

**End Irrigating Fiber Optic**

- Exceptional illumination with improved infusion capabilities
- Helps to maintain integrity of the globe during two port vitrectomy
- Perfect for the treatment of endophthalmitis pediatric patients
- Sterile, single-use

8065740259 | 20 Gauge | 10/box   **20**



**End Irrigating Endo Illuminator  
For High Viscosity Fluid**

- Exceptional illumination with improved infusion
- Helps to maintain the integrity of the globe with two-port vitrectomy
- Perfect for the treatment of trauma, endophthalmitis and pediatric patients
- Sterile, single-use










8065011240 | 20 Gauge | 10/box   **20**

**Ryan Illuminated Visco Injector**

- 30 gauge infusion cannula, with 40° angled tip minimizes shadows
- Cannula is offset from the light pipe shaft
- Designed for infusion of viscoelastic substances under preretinal membranes
- Sterile, single-use

8065013000 | 20 Gauge | 10/box   **20**

NON-RFID ILLUMINATION PIKS

ILLUMINATION CONNECTORS	RFID	PREFERRED USE WITH	GAUGE
 ALCON® NON-RFID	 with RFID	 CONSTELLATION® Vision System	<b>20</b>
 CONSTELLATION® RFID			<b>23</b>
 INFINITECH®	 without RFID	 PUREPOINT® Laser	<b>25</b>
 GRIESHABER®			<b>25+</b>
		 ACCURUS® Surgical System	

TM\* The BULLET™ Reg. U.S. Pat. & T.M. office





**NON-RFID  
TISSUE MANIPULATORS & MISCELLANEOUS**

**Dual Mode Cannula,  
4.0 mm/1.0 mm**

- Wide-angle adjustable chandelier illumination and infusion
- Allows for bimanual surgery
- Sterile, single-use





8065030540 | 19 Gauge | 10/box  

**2-Function Disposable  
Tissue Manipulator**

- Provides illumination, aspiration/irrigation and tissue manipulation
- Fine 33 Gauge needle may be used as a pick or probe
- Sterile, single-use





149.86 | 20 Gauge | 6/box  

20

**3-Function Tissue  
Manipulator, 1.0 mm**

- Illumination, aspiration and coagulation in a single instrument
- Flexible cable allows for precise tip-positioning without resistance
- Use with existing diathermy units
- 28 Gauge aspiration lumen
- Sterile, single-use





8065020100 | 20 Gauge | 6/box  

20

**ZAPPER™ Bipolar Endo**



- Conical point for precise coagulation
- Illumination and coagulation in a single instrument
- Flexible cable allows precise tip-positioning with minimal resistance
- Use with existing diathermy units
- Sterile, single-use



8065020200 | 20 Gauge | 6/box  

20

**MONOFILAMENTS & ADAPTERS**

- 8065751140 | 1 each | Adapter for RFID for ACCURUS® System/ACMI
- 8065025007 | 1 each | Adapter for ACCURUS® System, INFINITECH® and GRIESHABER® Light Source
- 8065025016 | 1 each | Adapter for B&L\*/STORZ\* PREMIER\* Light Source
- 8065025019 | 1 each | Adapter for B&L\*/STORZ DAISY\* Light Source
-  8065740257 | 10/box | Bare End Fiber Optics For Illuminated Scissors/Forceps | 0.5 mm
-  8065011500 | 10/box | THE BULLET™ Bare End Light Fiber Optic for Illuminated Scissors/Forceps | 0.5 mm

TM\* The ZAPPER™ Reg. U.S. Pat. & T.M. office

In the U.S. to order call 1-800-862-5266 or fax 1-800-241-0677.  
Outside the U.S. contact your local Alcon representative.

